

# Form and Function

Fixed to a wall or positioned on a table or shelf on its own ultra-stable rubberised support, the XTC is a two-way system incorporating twin Kevlar® cone bass/ midrange drivers and a centrally mounted Nautilus™ tube-loaded aluminium dome tweeter. Unusually for a centre speaker, a pair of XTCs can be used in vertical orientation as front speakers, mounted to the wall on either side of the screen using the wave bracket that comes as standard in the box.



# **Technical Specifications**

Nautilus™ tube-loaded aluminium dome tweeter Technical features

Kevlar® brand fibre cone bass/midrange

Flowport™

Wall bracket and table support included

Description 2-way vented-box system

**Drive units** 1x ø25mm (1 in) aluminium dome high-frequency

2x ø130mm (5 in) woven Kevlar® cone bass/midrange

-6dB at 40Hz and 50kHz Frequency range

55Hz - 22kHz ±3dB on reference axis Frequency response

Dispersion Within 2dB of reference response

Horizontal: over 20° arc over 60° arc Vertical:

Sensitivity 87dB spl (2.83V, 1m)

Harmonic distortion 2nd and 3rd harmonics (90dB, 1m)

<1% 130Hz - 20kHz <0.5% 200Hz - 20kHz

Nominal impedance  $8\Omega$  (minimum  $4.0\Omega$ )

4kHz **Crossover frequency** 

Recommended amplifier power 30W - 150W into  $8\Omega$  on unclipped programme

Max. recommended cable impedance

0.1Ω

**Dimensions** 154mm (6.1 in) cabinet only Height:

161mm (6.3 in) on table support 512mm (20.2 in)

Width: Depth:

200mm (7.9 in) without bracket 212mm (8.4 in) mounted on wall

Net weight 8kg (17.6 lb)

Finish Cabinet: Brushed aluminium, Gloss black

Grille: Black cloth

# Bowers & Wilkins

B&W Group Ltd Dale Road Worthing West Sussex BN11 2BH England

T +44 (0) 1903 221800 F +44 (0) 1903 221801 info@bwgroup.com www.bowers-wilkins.com

B&W Group (UK Sales) T +44 1903 221 500 E uksales@bwgroup.com

B&W Group North America T +1 978 664 2870 E marketing@bwgroupusa.com

B&W Group Asia Ltd T +852 2 790 8903 E info@bwgroup.hk

Kevlar is a registered trademark of DuPont. Nautilus is a trademark of B&W Group Ltd. Copyright © B&W Group Ltd. E&OE B&W Group Ltd reserves the right to amend details of the specification without notice in line with technical developments